

Name: Kit Setup - Spec Racer

Date: _____ Event: _____



City: _____ State: _____


Track: _____

- Track Conditions Indoor Tight Smooth Hard Packed Blue Groove Wet Grass Low Bite High Bite
 Outdoor Open Rough Loose/Loamy Dry Dusty Astro Turf Med Bite Other _____

Front Suspension

Toe: +/- 0 deg _____
 Ride Height: 23mm _____ Camber: -1 deg _____
 Caster: 0° 5° _____
 Kick Angle: 20° 25° 30° _____
 VLA Setting: Short Arm Long Arm _____
 Front Pivot: Alum Plastic HRC Alum HRC _____
 Kick Shim: Brass Plastic _____
 Oil: 32.5 wt _____
 Piston: 2 x 1.6mm (TLR233009) _____
 Spring: Standard Low Freq. Color: Silver _____
 Sway Bar: 0.8mm 1.0mm 1.2mm _____
 Shock Limiters: 1mm _____ Stroke: 22mm _____
 Shock Locations: 1 - Middle _____
 Spindle Ball Stud: Standard Low Mount _____
 Bump Steer Spacers: 1mm _____
 Ackerman Ball Stud: Standard Low Mount _____
 Ackerman Spacers: 1mm _____
 Ackerman Arm: #1 #2 #3 _____
 Axle Spacing: 0 +0.5mm +1mm _____
 Trail: 2mm 3mm 4mm _____
 Camber Link: 2 - B _____


- Stiffezel Parts:
Front Arm Rear Arm
Chassis Brace
Front Camber Block



Notes: _____

Rear Suspension


Configuration: Laydown Standup
 LD Diff. Height: Standard +3.5mm
 Transmission Type: 3-Gear 4-Gear
 Toe Inserts: 0.5 1 1.5 2 2.5 3 3.5 4
 Anti-Squat Inserts: 0 0.5 1 1.5 2 2.5 3
 Inner Roll Center: LRC HRC
 Ride Height: 23mm _____ Camber: -1.5 deg _____
 Rear Hub Spacing: Middle (2mm front, 2mm rear) _____
 Rear Axle Height: Standard +3mm _____
 Hex Width: Standard _____
 Sway Bar: 1.0mm 1.2mm 1.4mm _____
 Oil: 32.5 wt _____
 Piston: 2 x 1.7mm (TLR233010) _____
 Spring: Standard Low Freq. Color: White _____
 Shock Limiters: 1mm _____ Stroke: 29mm _____
 Shock Locations: 2 - Middle _____
 Shock Mounting: Front Rear
 Inner Link Spacer: -1mm 0mm +1mm
 Camber Link: 2 (Standard) - E
 Wing/Wickerbill: 6.5" - 1 line wicker
 Wing Angle: 0° 2° 4°
 Battery Position: Shorty with battery strap
 Diff Type: Ball Gear Setting: Normal, 3/4-1 Rotation
 Driveshaft Length: CVA Universal Length: 67mm



Electronics

Radio: _____ Timing Advance: _____
 Servo: _____ Throttle/Brake Expo: _____
 ESC: _____ Servo Expo: _____
 Initial Brake: _____ Throttle/Brake EPA: _____
 Drag Brake: _____ Motor: _____
 Throttle Profile: _____ Pinion: _____ Spur: 69T
 Battery: _____

Chassis



Tires

	Front	Rear
Tire:	_____	_____
Compound:	_____	_____
Insert:	_____	_____
Additive:	_____	_____
Notes:	_____	
